

Indiana County Endangered, Threatened and Rare Species List

County: Porter

| Species Name   | Common Name                           | FED | STATE | GRANK | SRANK |
|--|---------------------------------------|-----|-------|-------|-------|
| <b>Crustacean: Malacostraca</b>                      |                                       |     |       |       |       |
| Procambarus gracilis                                 | Prairie Crayfish                      |     | ST    | G5    | S1S2  |
| <b>Mollusk: Bivalvia (Mussels)</b>                   |                                       |     |       |       |       |
| Plethobasus cyphus                                   | Sheepnose                             | C   | SE    | G3    | S1    |
| Venustaconcha ellipsiformis                          | Ellipse                               |     | SSC   | G4    | S2    |
| <b>Insect: Coleoptera (Beetles)</b>                  |                                       |     |       |       |       |
| Nicrophorus americanus                               | American Burying Beetle               | LE  | SX    | G2G3  | SH    |
| <b>Insect: Diptera</b>                               |                                       |     |       |       |       |
| Mydas tibialis                                       | Golden Legged Mydas Fly               |     | ST    | GNR   | S1S2  |
| <b>Insect: Homoptera</b>                             |                                       |     |       |       |       |
| Bruchomorpha dorsata                                 |                                       |     | SR    | GNR   | S2    |
| Bruchomorpha oculata                                 |                                       |     | SR    | GNR   | SNR   |
| Chlorotettix fallax                                  | A Leafhopper                          |     | SR    | GNR   | S2    |
| Cosmotettix bilineatus                               | Two-lined cosmotettix                 |     | ST    | GNR   | S1S2  |
| Flexamia pyrops                                      | The Long-nose Three-awn<br>Leafhopper |     | SR    | GNR   | S1S3  |
| Flexamia reflexus                                    | Indiangrass Flexamia                  |     | ST    | GNR   | S2S3  |
| Graminella mohri                                     |                                       |     | SR    | GNR   | SNR   |
| Mesamia nigradorsum                                  | A Leafhopper                          |     | SR    | GNR   | S2S3  |
| Mesamia stramineus                                   | Helianthus Leafhopper                 |     | SE    | GNR   | S1    |
| Philaenarcys killa                                   | Great Lakes dune spittlebug           |     | SR    | GNR   | S2S3  |
| Polyamia caperata                                    | Little Bluestem Polyamia              |     | SR    | GNR   | SNR   |
| Polyamia herbida                                     | The Prairie Panic Grass<br>Leafhopper |     | ST    | GNR   | S1S3  |
| Polyamia obtectus                                    | Sand Panic Grass Leafhopper           |     | SR    | GNR   | S2S3  |
| Prairiana kansana                                    | The Kansas Prairie Leafhopper         |     | SE    | GNR   | S1S2  |
| Prosapia ignipectus                                  | Red-legged Spittle Bug                |     | SR    | G4    | S2    |
| <b>Insect: Lepidoptera (Butterflies &amp; Moths)</b> |                                       |     |       |       |       |
| Achalarus lyciades                                   | The Hoary Edge Skipper                |     | SR    | G5    | S2S3  |
| Aethes patricia                                      |                                       |     | SE    | G3G4  | S1    |
| Agrotis stigmosa                                     |                                       |     | ST    | G4    | S1S2  |
| Agrotis vetusta                                      | A Moth                                |     | SR    | G5    | S2    |
| Amblyscirtes vialis                                  | Common Roadside-skipper               |     | SR    | G5    | S3    |
| Ancylis semiovana                                    |                                       |     | SR    | GNR   | S2S3  |
| Anepia capsularis                                    | The Starry Campion Capsule<br>Moth    |     | SR    | G5    | S1S2  |
| Apamea burgessi                                      | A Noctuid Moth                        |     | ST    | G4    | S1    |
| Apamea indocilis                                     | The spastic apamea                    |     |       | GNR   | S1S3  |
| Apamea lutosa  | Opalescent Apamea                     |     | SE    | GNR   | S1    |
| Apamea nigrior                                       | Black-dashed Apamea                   |     | SR    | G5    | S2S3  |

Indiana Natural Heritage Data Center  
Division of Nature Preserves  
Indiana Department of Natural Resources  
This data is not the result of comprehensive county surveys.

Fed: LE = Endangered; LT = Threatened; C = candidate; PDL = proposed for delisting  
State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant; WL = watch list  
GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank  
SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; G4 = widespread and abundant in state but with long term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; S? = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: Porter

| Species Name                       | Common Name                             | FED | STATE | GRANK  | SRANK |
|------------------------------------|---|-----|-------|--------|-------|
| <i>Apamea relicina</i>             | A Noctuid Moth                          |     | ST    | G4     | S1S2  |
| <i>Atrytonopsis hianna</i>         | Dusted Skipper                          |     | ST    | G4G5   | S1S2  |
| <i>Boloria selene myrina</i>       | Silver-bordered Fritillary              |     | ST    | G5T5   | S2    |
| <i>Boloria selene nebraskensis</i> | The Nebraska Silver Bordered Fritillary |     | SE    | G5T3T4 | S1    |
| <i>Callophrys irus</i>             | Frosted Elfin                           |     | SE    | G3     | S1    |
| <i>Callophrys polios</i>           | Hoary Elfin                             |     | SE    | G5     | S1    |
| <i>Capis curvata</i>               | A Noctuid Moth                          |     | ST    | G4     | S2S3  |
| <i>Catocala gracilis</i>           | Graceful Underwing                      |     | SR    | G5     | S2S3  |
| <i>Catocala praeclara</i>          | Praeclara Underwing                     |     | SR    | G5     | S2S3  |
| <i>Chortodes enervata</i>          | The Many-lined Cordgrass Moth           |     | ST    | G4     | S1    |
| <i>Chrysanympha formosa</i>        | The Huckleberry Looper Moth             |     | SR    | G5     | S1S3  |
| <i>Coenochroa bipunctella</i>      | Sand Dune Panic Grass Moth              |     | SR    | GNR    | S2S3  |
| <i>Coenochroa illibella</i>        | Dune Panic Grass Moth                   |     | SR    | GNR    | S2S3  |
| <i>Crambus bidens</i>              |   |     | SR    | GNR    | SNR   |
| <i>Crambus girardellus</i>         | Orange-striped Sedge Moth               |     | SR    | GNR    | S2S3  |
| <i>Croesia curvalana</i>           |   |     | SR    | GNR    | SNR   |
| <i>Croesia semipurpurana</i>       |   |     | SR    | GNR    | SNR   |
| <i>Cyclophora penduliniaria</i>    | Sweetfern Geometer                      |     | SR    | G5     | SNR   |
| <i>Cychnia inopinatus</i>          | The Unexpected Milkweed Moth            |     | SR    | G4     | S2S3  |
| <i>Epipaschia zelleri</i>          |   |     | SR    | GNR    | SNR   |
| <i>Erynnis martialis</i>           | Mottled Duskywing                       |     | ST    | G3     | S2S3  |
| <i>Erynnis persius persius</i>     | Persius Dusky Wing                      |     | SE    | G5T1T3 | S1S2  |
| <i>Eubaphe meridiana</i>           | AMoth                                   |     | SR    | G4     | S2    |
| <i>Euchloe olympia</i>             | Olympia Marble                          |     | ST    | G4G5   | S2    |
| <i>Eucrotopcnemis fimbriaris</i>   | A Noctuid Moth                          |     | ST    | G4     | S1    |
| <i>Euphydryas phaeton</i>          | Baltimore                               |     | SR    | G4     | S2    |
| <i>Euphyes bimacula</i>            | Two-spotted Skipper                     |     | ST    | G4     | S2    |
| <i>Euphyes dion</i>                | Sedge Skipper                           |     | SR    | G4     | S2S3  |
| <i>Eupsilia devia</i>              | The Devious Sallow                      |     |       | GNR    | SNR   |
| <i>Euxoa albipennis</i>            | White-striped Dart                      |     | SR    | G4G5   | S1S3  |
| <i>Euxoa aurulenta</i>             | Dune Cutworm                            |     | ST    | G5     | S2    |
| <i>Fagitana littera</i>            | The Marsh Fern Moth                     |     | ST    | G4     | S1S2  |
| <i>Faronta rubripennis</i>         | The Pine Streak                         |     | ST    | G3G4   | S1    |
| <i>Grammia anna</i>                | Anna's tiger moth                       |     | SR    | G5     | S2S3  |
| <i>Grammia figurata</i>            | The Figured Grammia                     |     | SR    | G5     | S2S3  |
| <i>Grammia phyllira</i>            | The Sand Barrens Grammia                |     | SR    | G4     | S2S3  |
| <i>Grammia virguncula</i>          |   |     | SR    | G5     | S1S2  |
| <i>Hadena ectypa</i>               | The Starry Champion Moth                |     | ST    | G3G4   | S1S3  |
| <i>Hemaris gracilis</i>            | The Blueberry Clearwing Sphinx          |     | SR    | G3G4   | S1S2  |

Indiana Natural Heritage Data Center  
Division of Nature Preserves  
Indiana Department of Natural Resources  
This data is not the result of comprehensive county surveys.

Fed: LE = Endangered; LT = Threatened; C = candidate; PDL = proposed for delisting  
State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant; WL = watch list  
GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank  
SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; G4 = widespread and abundant in state but with long term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; S? = unranked; SNR = unranked; SNA = nonbreeding status unranked

**Indiana County Endangered, Threatened and Rare Species List**

**County: Porter**

| Species Name               | Common Name                    | FED       | STATE | GRANK | SRANK |
|----------------------------|--------------------------------|-----------|-------|-------|-------|
| Hesperia leonardus         | Leonard's Skipper              | No Status | SR    | G4    | S2    |
| Holomelina opella          | The Smokey Holomelina          |           | SR    | G5    | S2S3  |
| Lesmone detrahens          | A Moth                         |           | SR    | G5    | S2    |
| Leucania inermis           | A Moth                         |           | SR    | G4    | S2S3  |
| Leucania linita            | Salt Marsh Wainscot            |           | SR    | GNR   | S2    |
| Loxagrotis acclivis        | A Noctuid Moth                 |           | ST    | G4G5  | S2    |
| Lycaeides melissa samuelis | Karner Blue                    | LE        | SE    | G5T2  | S1    |
| Lycaena helloides          | Purplish Copper                |           | SR    | G5    | S2S4  |
| Macrochilo absorptalis     | A Moth                         |           | SR    | G4G5  | S2S3  |
| Macrochilo hypocriticalis  | A Noctuid Moth                 |           | SR    | G4    | S2    |
| Macrochilo louisiana       |                                |           | ST    | G4    | S1S2  |
| Melanomma auricinctaria    | Huckleberry Eye-spot Moth      |           | SR    | G4    | S2S3  |
| Meropleon ambifuscum       | Newman's Brocade               |           | ST    | G3G4  | S1S2  |
| Meropleon diversicolor     | A Noctuid Moth                 |           | SR    | G4    | S2S3  |
| Mesapamea stipata          | The Four-lined Cordgrass Borer |           | SE    | G4    | S1    |
| Metanema determinata       | Dark Metanema                  |           | SR    | GNR   | SNR   |
| Metanema inatomaria        | Pale Metanema                  |           | SR    | GNR   | SNR   |
| Nephoterix dammersi        | Leadplant Leafwebber Moth      |           | SE    | GNR   | S1    |
| Nola cilicoides            |                                |           | SR    | G4    | SNR   |
| Nola pustulata             | Sharp-blotched Nola            |           | SR    | G4    | SNR   |
| Odontosia elegans          | Elegant Prominent              |           | SR    | G5    | S1S2  |
| Oligia obtusa              | A Noctuid Moth                 |           | SE    | G4    | S1    |
| Paectes abrostolella       | The Barrens Paectes Moth       |           | SR    | G4    | S2S3  |
| Papaipema cerina           | Golden Borer Moth              |           | ST    | G2G4  | S1    |
| Papaipema leucostigma      | Columbine Borer                |           | ST    | G4    | S1S2  |
| Papaipema lysimachiae      | The St. John'Swort Borer Moth  |           | SR    | G4    | S1S3  |
| Papaipema maritima         | The Giant Sunflower Borer Moth |           | ST    | G3    | S2    |
| Papaipema silphii          | Silphium Borer Moth            |           | ST    | G3G4  | S2    |
| Papaipema speciosissima    | The Royal Fern Borer Moth      |           | ST    | G4    | S2S3  |
| Parasa indetermina         | A Moth                         |           | SR    | G4    | S1S2  |
| Peoria gemmatella          | Gemmed Cordgrass Borer         |           | SR    | GNR   | S1    |
| Peoria tetradella          |                                |           | SR    | GNR   | SNR   |
| Phaneta ochroterminana     |                                |           | SR    | GNR   | SNR   |
| Phaneta ornatula           |                                |           | SR    | GNR   | SNR   |
| Phaneta striatana          |                                |           | SR    | GNR   | SNR   |
| Platyperigea meralis       | The Rare Sand Quaker           |           | ST    | G4    | S2    |
| Platyperigea multifera     | Dune rustic                    |           |       | GNR   | S1S2  |
| Poanes viator viator       | Big Broad-winged Skipper       |           | ST    | G5T4  | S2    |
| Polygonia progne           | Gray Comma                     |           | SR    | G4G5  | S2    |
| Problema byssus            | Bunchgrass Skipper             |           | ST    | G3G4  | S2    |

Indiana Natural Heritage Data Center  
Division of Nature Preserves  
Indiana Department of Natural Resources  
This data is not the result of comprehensive county surveys.

Fed: LE = Endangered; LT = Threatened; C = candidate; PDL = proposed for delisting  
State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant; WL = watch list  
GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank  
SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; G4 = widespread and abundant in state but with long term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; S? = unranked; SNR = unranked; SNA = nonbreeding status unranked

**Indiana County Endangered, Threatened and Rare Species List**

**County: Porter**

| Species Name   | Common Name                            | FED | STATE | GRANK  | SRANK |
|--|--|-----|-------|--------|-------|
| Protorthodes incincta                                  | Saturn quaker                          |     | SR    | GNR    | S2    |
| Pygarctia spraguei                                     | Sprague's Pygartic                     |     | SR    | G5     | S1S2  |
| Pyrausta laticlavia                                    | The Southern Purple Mint Moth          |     | SR    | GNR    | S1S2  |
| Satyroides eurydice fumosa                             | Smoky-eyed Brown                       |     | ST    | G5T3T4 | S1S2  |
| Schinia indiana  | Phlox Moth                             |     | SE    | G2G4   | S1    |
| Schinia septentrionalis                                | A Noctuid Moth                         |     | SR    | G3G4   | S2S3  |
| Scirpophaga perstrialis                                |  |     | SR    | GNR    | SNR   |
| Semiothisa eremiata                                    | The Goat's Rue Looper                  |     | SR    | G4     | S2S3  |
| Sitochroa dasconalis                                   | Pearly Indigo Borer                    |     | ST    | GNR    | S1S2  |
| Spartiniphaga inops                                    | Spartina Borer Moth                    |     | SR    | G3G4   | S2S3  |
| Speyeria aphrodite                                     | Aphrodite Fritillary                   |     | WL    | G5     | S3    |
| Sphinx luscitiosa                                      | The Luscious Willow Sphinx             |     | SR    | G4     | S1S2  |
| Tampa dimediatella                                     | Red-striped Panic Grass Moth           |     | ST    | GNR    | S2S3  |
| Thorybes pylades                                       | Northern Cloudywing                    |     | SR    | G5     | S2S3  |
| Tricholita notata                                      | Marked Noctuid                         |     | ST    | G5     | S1S2  |
| Trichosilia manifesta                                  | The Record Keeper Moth                 |     | SR    | G4     | S3S4  |
| Zomaria interruptolinea                                |  |     | SR    | GNR    | SNR   |
| <b>Insect: Odonata (Dragonflies &amp; Damselflies)</b> |  |     |       |        |       |
| Sympetrum semicinctum                                  | Band-winged Meadowhawk                 |     | SR    | G5     | S2S3  |
| <b>Insect: Orthoptera</b>                              |  |     |       |        |       |
| Chloealtis conspersa                                   | Sprinkled Locust                       |     | SR    | G5     | S2S3  |
| Conocephalus saltans                                   | Prairie Meadow Katydid                 |     | SR    | GNR    | S1S2  |
| Hesperotettix viridis pratensis                        | A Grasshopper                          |     | SR    | G5T5   | S1S2  |
| Melanoplus viridipes viridipes                         | Green-legged Spur-throated Grasshopper |     | SR    | G4     | S2    |
| Neoconocephalus exiliscanorus                          | A Katydid                              |     | SR    | GNR    | SNR   |
| Neoconocephalus nebrascensis                           | A Katydid                              |     | SR    | GNR    | S1S2  |
| Orphulella pelidna                                     | Green Desert Grasshopper               |     | SR    | G5     | S1S2  |
| Pseudopomala brachyptera                               | Bunch Grass Locust                     |     | ST    | G5     | S1S2  |
| Psinidia fenestralis                                   | Sand Locust                            |     | SR    | G5     | S1S2  |
| Trimerotropis maritima                                 | The Dune Locust                        |     | ST    | G5     | S2    |
| <b>Fish</b>  |  |     |       |        |       |
| Acipenser fulvescens                                   | Lake Sturgeon                          |     | SE    | G3G4   | S1    |
| <b>Amphibian</b>                                       |  |     |       |        |       |
| Ambystoma laterale                                     | Blue-spotted Salamander                |     | SSC   | G5     | S2    |
| Hemidactylium scutatum                                 | Four-toed Salamander                   |     | SE    | G5     | S2    |
| Necturus maculosus                                     | Common mudpuppy                        |     | SSC   | G5     | S2    |
| Rana pipiens   | Northern Leopard Frog                  |     | SSC   | G5     | S2    |
| <b>Reptile</b>   |  |     |       |        |       |
| Clemmys guttata  | Spotted Turtle                         |     | SE    | G5     | S2    |

Indiana Natural Heritage Data Center  
Division of Nature Preserves  
Indiana Department of Natural Resources  
This data is not the result of comprehensive county surveys.

Fed: LE = Endangered; LT = Threatened; C = candidate; PDL = proposed for delisting  
State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant; WL = watch list  
GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank  
SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; G4 = widespread and abundant in state but with long term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; S? = unranked; SNR = unranked; SNA = nonbreeding status unranked

**Indiana County Endangered, Threatened and Rare Species List**

**County: Porter**

| Species Name                         | Common Name                  | FED       | STATE | GRANK     | SRANK |
|--------------------------------------|------------------------------|-----------|-------|-----------|-------|
| <i>Clonophis kirtlandii</i>          | Kirtland's Snake             |           | SE    | G2        | S2    |
| <i>Emydoidea blandingii</i>          | Blanding's Turtle            |           | SE    | G4        | S2    |
| <i>Liochlorophis vernalis</i>        | Smooth Green Snake           |           | SE    | G5        | S2    |
| <i>Sistrurus catenatus catenatus</i> | Eastern Massasauga           | C         | SE    | G3G4T3T4Q | S2    |
| <i>Thamnophis butleri</i>            | Butler's Garter Snake        |           | SE    | G4        | S1    |
| <i>Thamnophis proximus proximus</i>  | Western Ribbon Snake         |           | SSC   | G5T5      | S3    |
| <b>Bird</b>                          |                              |           |       |           |       |
| <i>Ammodramus henslowii</i>          | Henslow's Sparrow            |           | SE    | G4        | S3B   |
| <i>Ardea alba</i>                    | Great Egret                  |           | SSC   | G5        | S1B   |
| <i>Bartramia longicauda</i>          | Upland Sandpiper             |           | SE    | G5        | S3B   |
| <i>Botaurus lentiginosus</i>         | American Bittern             |           | SE    | G4        | S2B   |
| <i>Buteo lineatus</i>                | Red-shouldered Hawk          |           | SSC   | G5        | S3    |
| <i>Buteo platypterus</i>             | Broad-winged Hawk            | No Status | SSC   | G5        | S3B   |
| <i>Circus cyaneus</i>                | Northern Harrier             |           | SE    | G5        | S2    |
| <i>Cistothorus palustris</i>         | Marsh Wren                   |           | SE    | G5        | S3B   |
| <i>Cistothorus platensis</i>         | Sedge Wren                   |           | SE    | G5        | S3B   |
| <i>Dendroica cerulea</i>             | Cerulean Warbler             |           | SE    | G4        | S3B   |
| <i>Falco peregrinus</i>              | Peregrine Falcon             | No Status | SE    | G4        | S2B   |
| <i>Ixobrychus exilis</i>             | Least Bittern                |           | SE    | G5        | S3B   |
| <i>Lanius ludovicianus</i>           | Loggerhead Shrike            | No Status | SE    | G4        | S3B   |
| <i>Mniotilta varia</i>               | Black-and-white Warbler      |           | SSC   | G5        | S1S2B |
| <i>Nycticorax nycticorax</i>         | Black-crowned Night-heron    |           | SE    | G5        | S1B   |
| <i>Rallus elegans</i>                | King Rail                    |           | SE    | G4        | S1B   |
| <i>Rallus limicola</i>               | Virginia Rail                |           | SE    | G5        | S3B   |
| <i>Sturnella neglecta</i>            | Western Meadowlark           |           | SSC   | G5        | S2B   |
| <i>Vermivora chrysoptera</i>         | Golden-winged Warbler        |           | SE    | G4        | S1B   |
| <i>Wilsonia citrina</i>              | Hooded Warbler               |           | SSC   | G5        | S3B   |
| <b>Mammal</b>                        |                              |           |       |           |       |
| <i>Lasiurus borealis</i>             | Eastern Red Bat              |           | SSC   | G5        | S4    |
| <i>Lasiurus cinereus</i>             | Hoary Bat                    | No Status | SSC   | G5        | S4    |
| <i>Myotis lucifugus</i>              | Little Brown Bat             |           | SSC   | G5        | S4    |
| <i>Myotis septentrionalis</i>        | Northern Myotis              |           | SSC   | G4        | S3    |
| <i>Myotis sodalis</i>                | Indiana Bat or Social Myotis | LE        | SE    | G2        | S1    |
| <i>Pipistrellus subflavus</i>        | Eastern Pipistrelle          |           | SSC   | G5        | S4    |
| <i>Spermophilus franklinii</i>       | Franklin's Ground Squirrel   |           | SE    | G5        | S2    |
| <i>Taxidea taxus</i>                 | American Badger              |           | SSC   | G5        | S2    |
| <b>Vascular Plant</b>                |                              |           |       |           |       |
| <i>Actaea rubra</i>                  | Red Baneberry                |           | SR    | G5        | S2    |
| <i>Amelanchier humilis</i>           | Running Serviceberry         |           | SE    | G5        | S1    |
| <i>Arabis glabra</i>                 | Tower-mustard                |           | WL    | G5        | S2    |

Indiana Natural Heritage Data Center  
Division of Nature Preserves  
Indiana Department of Natural Resources  
This data is not the result of comprehensive county surveys.

Fed: LE = Endangered; LT = Threatened; C = candidate; PDL = proposed for delisting  
State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant; WL = watch list  
GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank  
SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; G4 = widespread and abundant in state but with long term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; S? = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: Porter

| Species Name   | Common Name                  | FED | STATE | GRANK | SRANK |
|--|------------------------------|-----|-------|-------|-------|
| <i>Aralia hispida</i>                                | Bristly Sarsaparilla         |     | SE    | G5    | S1    |
| <i>Arctostaphylos uva-ursi</i>                       | Bearberry                    |     | SR    | G5    | S2    |
| <i>Arenaria stricta</i>                              | Michaux's Stitchwort         |     | SR    | G5    | S2    |
| <i>Aristida intermedia</i>                           | Slim-spike Three-awn Grass   |     | SR    | GNR   | S2    |
| <i>Aristida tuberculosa</i>                          | Seabeach Needlegrass         |     | SR    | G5    | S2    |
| <i>Aster borealis</i>                                | Rushlike Aster               |     | SR    | G5    | S2    |
| <i>Aster furcatus</i>                                | Forked Aster                 |     | SR    | G3    | S2    |
| <i>Aster sericeus</i>                                | Western Silvery Aster        |     | SR    | G5    | S2    |
| <i>Betula populifolia</i>                            | Gray Birch                   |     | SE    | G5    | S1    |
| <i>Bidens beckii</i>                                 | Beck Water-marigold          |     | ST    | G4G5  | S1    |
| <i>Botrychium matricariifolium</i>                   | Chamomile Grape-fern         |     | SR    | G5    | S2    |
| <i>Botrychium multifidum</i> var. <i>intermedium</i> | Leathery Grape-fern          |     | SX    | G5T4? | SX    |
| <i>Brachyelytrum aristosum</i>                       | Northern shorthusk           |     | SE    | G4G5  | S1    |
| <i>Buchnera americana</i>                            | Bluehearts                   |     | SE    | G5?   | S1    |
| <i>Carex atherodes</i>                               | Awned Sedge                  |     | SE    | G5    | S1    |
| <i>Carex atlantica</i> ssp. <i>capillacea</i>        | Howe Sedge                   |     | SE    | G5T5? | S1    |
| <i>Carex aurea</i>                                   | Golden-fruited Sedge         |     | SR    | G5    | S2    |
| <i>Carex brunnescens</i>                             | Brownish Sedge               |     | SE    | G5    | S1    |
| <i>Carex conoidea</i>                                | Prairie Gray Sedge           |     | ST    | G5    | S1    |
| <i>Carex debilis</i> var. <i>rudgei</i>              | White-edge Sedge             |     | SR    | G5T5  | S2    |
| <i>Carex eburnea</i>                                 | Ebony Sedge                  |     | SR    | G5    | S2    |
| <i>Carex flava</i>                                   | Yellow Sedge                 |     | ST    | G5    | S2    |
| <i>Carex folliculata</i>                             | Long Sedge                   |     | SR    | G4G5  | S2    |
| <i>Carex garberi</i>                                 | Elk Sedge                    |     | ST    | G5    | S2    |
| <i>Carex leptoneura</i>                              | Finely-nerved Sedge          |     | SE    | G4    | S1    |
| <i>Carex limosa</i>                                  | Mud Sedge                    |     | SE    | G5    | S1    |
| <i>Carex pedunculata</i>                             | Longstalk Sedge              |     | SR    | G5    | S2    |
| <i>Carex seorsa</i>                                  | Weak Stellate Sedge          |     | SR    | G4    | S2    |
| <i>Chimaphila umbellata</i> ssp. <i>cisatlantica</i> | Pipsissewa                   |     | ST    | G5T5  | S2    |
| <i>Chrysosplenium americanum</i>                     | American Golden-saxifrage    |     | ST    | G5    | S2    |
| <i>Circaea alpina</i>                                | Small Enchanter's Nightshade |     | SX    | G5    | SX    |
| <i>Cirsium hillii</i>                                | Hill's Thistle               |     | SE    | G3    | S1    |
| <i>Cirsium pitcheri</i>                              | Dune Thistle                 | LT  | ST    | G3    | S2    |
| <i>Clintonia borealis</i>                            | Clinton Lily                 |     | SE    | G5    | S1    |
| <i>Coeloglossum viride</i> var. <i>virescens</i>     | Long-bract Green Orchis      |     | ST    | G5T5  | S2    |
| <i>Cornus amomum</i> ssp. <i>amomum</i>              | Silky Dogwood                |     | SE    | G5T5  | S1    |
| <i>Cornus canadensis</i>                             | Bunchberry                   |     | SE    | G5    | S1    |
| <i>Cornus rugosa</i>                                 | Roundleaf Dogwood            |     | SR    | G5    | S2    |
| <i>Cyperus houghtonii</i>                            | Houghton's Nutsedge          |     | SE    | G4?   | S2    |
| <i>Cypripedium calceolus</i> var. <i>parviflorum</i> | Small Yellow Lady's-slipper  |     | SR    | G5    | S2    |

Indiana Natural Heritage Data Center  
Division of Nature Preserves  
Indiana Department of Natural Resources  
This data is not the result of comprehensive county surveys.

Fed: LE = Endangered; LT = Threatened; C = candidate; PDL = proposed for delisting  
State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant; WL = watch list  
GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank  
SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; G4 = widespread and abundant in state but with long term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; S? = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: Porter

| Species Name                         | Common Name                     | FED | STATE | GRANK  | SRANK |
|--------------------------------------|---------------------------------|-----|-------|--------|-------|
| Cypripedium candidum                 | Small White Lady's-slipper      |     | WL    | G4     | S2    |
| Dichanthelium sabulorum var. thinium | Hemlock Panic-grass             |     | SR    | G5T5   | S2    |
| Diervilla lonicera                   | Northern Bush-honeysuckle       |     | SR    | G5     | S2    |
| Drosera intermedia                   | Spoon-leaved Sundew             |     | SR    | G5     | S2    |
| Dryopteris clintoniana               | Clinton Woodfern                |     | SX    | G5     | SX    |
| Eleocharis geniculata                | Capitate Spike-rush             |     | ST    | G5     | S2    |
| Eleocharis melanocarpa               | Black-fruited Spike-rush        |     | ST    | G4     | S2    |
| Eleocharis microcarpa                | Small-fruited Spike-rush        |     | SE    | G5     | S1    |
| Eleocharis robbinsii                 | Robbins Spikerush               |     | SR    | G4G5   | S2    |
| Epigaea repens                       | Trailing Arbutus                |     | WL    | G5     | S3    |
| Eriocaulon aquaticum                 | Pipewort                        |     | SE    | G5     | S1    |
| Eriophorum angustifolium             | Narrow-leaved Cotton-grass      |     | SR    | G5     | S2    |
| Euphorbia polygonifolia              | Seaside Spurge                  |     | SR    | G5?    | S3    |
| Fimbristylis puberula                | Carolina Fimbry                 |     | SE    | G5     | S1    |
| Fuirena pumila                       | Dwarf Umbrella-sedge            |     | ST    | G4     | S2    |
| Gentiana alba                        | Yellow Gentian                  |     | SR    | G4     | S2    |
| Gentiana puberulenta                 | Downy Gentian                   |     | ST    | G4G5   | S2    |
| Geranium bicknellii                  | Bicknell Northern Crane's-bill  |     | SE    | G5     | S1    |
| Hemicarpha drummondii                | Drummond Hemicarpha             |     | se    | G4G5   | S1    |
| Hudsonia tomentosa                   | Sand-heather                    |     | ST    | G5     | S2    |
| Hypericum adpressum                  | Creeping St. John's-wort        |     | SE    | G3     | S1    |
| Hypericum pyramidatum                | Great St. John's-wort           |     | ST    | G4     | S1    |
| Juglans cinerea                      | Butternut                       |     | WL    | G4     | S3    |
| Juncus articulatus                   | Jointed Rush                    |     | SE    | G5     | S1    |
| Juncus balticus var. littoralis      | Baltic Rush                     |     | SR    | G5T5   | S2    |
| Juncus militaris                     | Bayonet Rush                    |     | SE    | G4     | S1    |
| Juncus pelocarpus                    | Brown-fruited Rush              |     | SE    | G5     | S2    |
| Juncus scirpoides                    | Scirpus-like Rush               |     | ST    | G5     | S2    |
| Juniperus communis                   | Ground Juniper                  |     | SR    | G5     | S2    |
| Lathyrus maritimus var. glaber       | Beach Peavine                   |     | SE    | G5T4T5 | S1    |
| Lathyrus ochroleucus                 | Pale Vetchling Peavine          |     | SE    | G4G5   | S1    |
| Lathyrus venosus                     | Smooth Veiny Pea                |     | ST    | G5     | S2    |
| Lechea stricta                       | Upright Pinweed                 |     | SX    | G4?    | SX    |
| Lemna minima                         | Least Duckweed                  |     | SE    | GNR    | S1    |
| Lemna valdiviana                     | Pale Duckweed                   |     | SE    | G5     | S1    |
| Linnaea borealis                     | Twinflower                      |     | SX    | G5     | SX    |
| Linum striatum                       | Ridged Yellow Flax              |     | WL    | G5     | S3    |
| Ludwigia sphaerocarpa                | Globe-fruited False-loosestrife |     | SE    | G5     | S1    |
| Lycopodiella inundata                | Northern Bog Clubmoss           |     | SE    | G5     | S1    |

Indiana Natural Heritage Data Center  
Division of Nature Preserves  
Indiana Department of Natural Resources  
This data is not the result of comprehensive county surveys.

Fed: LE = Endangered; LT = Threatened; C = candidate; PDL = proposed for delisting  
State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant; WL = watch list  
GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank  
SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; G4 = widespread and abundant in state but with long term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; S? = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: Porter

| Species Name   | Common Name                      | FED | STATE | GRANK  | SRANK |
|--|----------------------------------|-----|-------|--------|-------|
| <i>Lycopodiella subappressa</i>                          | Northern Appressed Bog Clubmoss  |     | SE    | G2     | S1    |
| <i>Lycopodium hickeyi</i>                                | Hickey's Clubmoss                |     | SR    | G5     | S2    |
| <i>Lycopodium obscurum</i>                               | Tree Clubmoss                    |     | SR    | G5     | S2    |
| <i>Lycopodium tristachyum</i>                            | Deep-root Clubmoss               |     | SR    | G5     | S2    |
| <i>Melampyrum lineare</i>                                | American Cow-wheat               |     | SR    | G5     | S2    |
| <i>Mikania scandens</i>                                  | Climbing Hempweed                |     | SE    | G5     | S1    |
| <i>Milium effusum</i>                                    | Tall Millet-grass                |     | SR    | G5     | S2    |
| <i>Myosotis laxa</i>                                     | Smaller Forget-me-not            |     | ST    | G5     | S1    |
| <i>Myriophyllum pinnatum</i>                             | Cutleaf Water-milfoil            |     | SE    | G5     | S1    |
| <i>Myriophyllum verticillatum</i>                        | Whorled Water-milfoil            |     | SR    | G5     | S2    |
| <i>Najas gracillima</i>                                  | Thread-like Naiad                |     | ST    | G5?    | S1    |
| <i>Orobanche fasciculata</i>                             | Clustered Broomrape              |     | SE    | G4     | S1    |
| <i>Oryzopsis asperifolia</i>                             | White-grained Mountain-ricegrass |     | SE    | G5     | S1    |
| <i>Oryzopsis pungens</i>                                 | Slender Mountain-ricegrass       |     | SX    | G5     | SX    |
| <i>Oryzopsis racemosa</i>                                | Black-fruit Mountain-ricegrass   |     | SR    | G5     | S2    |
| <i>Panax quinquefolius</i>                               | American Ginseng                 |     | WL    | G3G4   | S3    |
| <i>Panax trifolius</i>                                   | Dwarf Ginseng                    |     | WL    | G5     | S2    |
| <i>Panicum boreale</i>                                   | Northern Witchgrass              |     | SR    | G5     | S2    |
| <i>Panicum leibergii</i>                                 | Leiberg's Witchgrass             |     | ST    | G5     | S2    |
| <i>Panicum mattamuskeetense</i>                          | A Panic-grass                    |     | SX    | G4?    | SX    |
| <i>Panicum verrucosum</i>                                | Warty Panic-grass                |     | ST    | G4     | S2    |
| <i>Pinus banksiana</i>                                   | Jack Pine                        |     | SR    | G5     | S2    |
| <i>Pinus strobus</i>                                     | Eastern White Pine               |     | SR    | G5     | S2    |
| <i>Plantago cordata</i>                                  | Heart-leaved Plantain            |     | SE    | G4     | S1    |
| <i>Platanthera ciliaris</i>                              | Yellow-fringe Orchis             |     | SE    | G5     | S1    |
| <i>Platanthera hookeri</i>                               | Hooker Orchis                    |     | SX    | G4     | SX    |
| <i>Platanthera hyperborea</i>                            | Leafy Northern Green Orchis      |     | ST    | G5     | S2    |
| <i>Platanthera psycodes</i>                              | Small Purple-fringe Orchis       |     | SR    | G5     | S2    |
| <i>Poa alsodes</i>                                       | Grove Meadow Grass               |     | SR    | G4G5   | S2    |
| <i>Poa paludigena</i>                                    | Bog Bluegrass                    |     | WL    | G3     | S3    |
| <i>Polygala paucifolia</i>                               | Gay-wing Milkwort                |     | SE    | G5     | S1    |
| <i>Polygonella articulata</i>                            | Eastern Jointweed                |     | SR    | G5     | S2    |
| <i>Polygonum careyi</i>                                  | Carey's Smartweed                |     | ST    | G4     | S2    |
| <i>Polygonum hydropiperoides</i> var. <i>opelousanum</i> | Northeastern Smartweed           |     | ST    | G5TNRQ | S2    |
| <i>Populus balsamifera</i>                               | Balsam Poplar                    |     | SX    | G5     | SX    |
| <i>Potamogeton epihydrus</i>                             | Nuttall Pondweed                 |     | SE    | G5     | S1    |
| <i>Potamogeton pulcher</i>                               | Spotted Pondweed                 |     | SE    | G5     | S1    |
| <i>Potamogeton pusillus</i>                              | Slender Pondweed                 |     | WL    | G5     | S2    |
| <i>Potamogeton richardsonii</i>                          | Redheadgrass                     |     | SR    | G5     | S2    |

Indiana Natural Heritage Data Center  
Division of Nature Preserves  
Indiana Department of Natural Resources  
This data is not the result of comprehensive county surveys.

Fed: LE = Endangered; LT = Threatened; C = candidate; PDL = proposed for delisting  
State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant; WL = watch list  
GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank  
SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; G4 = widespread and abundant in state but with long term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; S? = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: Porter

| Species Name                       | Common Name                  | FED | STATE | GRANK | SRANK |
|------------------------------------|------------------------------|-----|-------|-------|-------|
| Potamogeton strictifolius          | Straight-leaf Pondweed       |     | ST    | G5    | S1    |
| Potamogeton vaseyi                 | Vasey's Pondweed             |     | SE    | G4    | S1    |
| Potentilla anserina                | Silverweed                   |     | ST    | G5    | S2    |
| Prunus pensylvanica                | Fire Cherry                  |     | SR    | G5    | S2    |
| Psilocarya nitens                  | Short-beaked Bald-rush       |     | SX    | G4?   | SX    |
| Psilocarya scirpoides              | Long-beaked Bulrush          |     | ST    | G4    | S2    |
| Pyrola rotundifolia var. americana | American Wintergreen         |     | SR    | G5    | S2    |
| Pyrola secunda                     | One-sided Wintergreen        |     | SX    | G5    | SX    |
| Rhus aromatica var. arenaria       | Beach Sumac                  |     | SR    | G5T3Q | S2    |
| Rhynchospora macrostachya          | Tall Beaked-rush             |     | SR    | G4    | S2    |
| Rhynchospora recognita             | Globe Beaked-rush            |     | SE    | G5?   | S1    |
| Salix cordata                      | Heartleaf Willow             |     | ST    | G4    | S2    |
| Schoenoplectus hallii              | Hall's Bulrush               |     | SE    | G2G3  | S1    |
| Scirpus expansus                   | Bulrush                      |     | SE    | G4    | S1    |
| Scirpus purshianus                 | Weakstalk Bulrush            |     | SR    | G4G5  | S1    |
| Scirpus smithii                    | Smith's Bulrush              |     | SE    | G5?   | S1    |
| Scirpus subterminalis              | Water Bulrush                |     | SR    | G4G5  | S2    |
| Scirpus torreyi                    | Torrey's Bulrush             |     | SE    | G5?   | S1    |
| Scleria reticularis                | Reticulated Nutrush          |     | ST    | G4    | S2    |
| Selaginella rupestris              | Ledge Spike-moss             |     | ST    | G5    | S2    |
| Sisyrinchium montanum              | Strict Blue-eyed-grass       |     | SE    | G5    | S1    |
| Solidago ptarmicoides              | Prairie Goldenrod            |     | SR    | G5    | S2    |
| Solidago simplex var. gillmanii    | Sticky Goldenrod             |     | ST    | G5T3? | S2    |
| Sorbus decora                      | Northern Mountain-ash        |     | SX    | G4G5  | SX    |
| Sparganium androcladum             | Branching Bur-reed           |     | ST    | G4G5  | S2    |
| Spiranthes lucida                  | Shining Ladies'-tresses      |     | SR    | G5    | S2    |
| Spiranthes magnicamporum           | Great Plains Ladies'-tresses |     | SE    | G4    | S1    |
| Stipa avenacea                     | Blackseed Needlegrass        |     | SR    | G5    | S2    |
| Styrax americanus                  | American Snowbell            |     | WL    | G5    | S3    |
| Talinum rugospermum                | Prairie Fame-flower          |     | ST    | G3G4  | S2    |
| Thalictrum pubescens               | Tall Meadowrue               |     | ST    | G5    | S2    |
| Thuja occidentalis                 | Northern White Cedar         |     | SE    | G5    | S1    |
| Trichostema dichotomum             | Forked Bluecurl              |     | SR    | G5    | S2    |
| Trillium cernuum var. macranthum   | Nodding Trillium             |     | SE    | G5T4  | S1    |
| Utricularia cornuta                | Horned Bladderwort           |     | ST    | G5    | S2    |
| Utricularia minor                  | Lesser Bladderwort           |     | ST    | G5    | S1    |
| Utricularia purpurea               | Purple Bladderwort           |     | SR    | G5    | S2    |
| Utricularia subulata               | Zigzag Bladderwort           |     | ST    | G5    | S2    |
| Vaccinium oxycoccos                | Small Cranberry              |     | ST    | G5    | S2    |
| Valerianella chenopodiifolia       | Goose-foot Corn-salad        |     | SE    | G5    | S1    |

Indiana Natural Heritage Data Center  
Division of Nature Preserves  
Indiana Department of Natural Resources  
This data is not the result of comprehensive county surveys.

Fed: LE = Endangered; LT = Threatened; C = candidate; PDL = proposed for delisting  
State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant; WL = watch list  
GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank  
SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; G4 = widespread and abundant in state but with long term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; S? = unranked; SNR = unranked; SNA = nonbreeding status unranked

**Indiana County Endangered, Threatened and Rare Species List**

**County: Porter**

| Species Name                               | Common Name                         | FED | STATE | GRANK | SRANK |
|--|-------------------------------------|-----|-------|-------|-------|
| Viburnum opulus var. americanum            | Highbush-cranberry                  |     | SE    | G5T5  | S1    |
| Viola primulifolia                         | Primrose-leaf Violet                |     | ST    | G5    | S2    |
| Woodwardia areolata                        | Netted Chainfern                    |     | SR    | G5    | S2    |
| Xyris difformis                            | Carolina Yellow-eyed Grass          |     | ST    | G5    | S2    |
| Zannichellia palustris                     | Horned Pondweed                     |     | SR    | G5    | S2    |
| <b>High Quality Natural Community</b>      |                                     |     |       |       |       |
| Forest - upland dry                        | Dry Upland Forest                   |     | SG    | G4    | S4    |
| Forest - upland dry-mesic                  | Dry-mesic Upland Forest             |     | SG    | G4    | S4    |
| Forest - upland mesic                      | Mesic Upland Forest                 |     | SG    | G3?   | S3    |
| Lake - lake                                | Lake                                |     | SG    | GNR   | S2    |
| Lake - pond                                | Pond                                |     | SG    | GNR   | SNR   |
| Prairie - dry-mesic                        | Dry-mesic Prairie                   |     | SG    | G3    | S2    |
| Prairie - mesic                            | Mesic Prairie                       |     | SG    | G2    | S2    |
| Prairie - sand dry                         | Dry Sand Prairie                    |     | SG    | G3    | S2    |
| Prairie - sand dry-mesic                   | Dry-mesic Sand Prairie              |     | SG    | G3    | S3    |
| Prairie - sand wet-mesic                   | Wet-mesic Sand Prairie              |     | SG    | G1?   | S2    |
| Prairie - wet                              | Wet Prairie                         |     | SG    | G3    | S1    |
| Primary - dune lake                        | Foredune                            |     | SG    | G3    | S1    |
| Savanna - sand dry                         | Dry Sand Savanna                    |     | SG    | G2?   | S2    |
| Savanna - sand dry-mesic                   | Dry-mesic Sand Savanna              |     | SG    | G2?   | S2S3  |
| Wetland - fen                              | Fen                                 |     | SG    | G3    | S3    |
| Wetland - fen forested                     | Forested Fen                        |     | SG    | G3    | S1    |
| Wetland - marsh                            | Marsh                               |     | SG    | GU    | S4    |
| Wetland - meadow sedge                     | Sedge Meadow                        |     | SG    | G3?   | S1    |
| Wetland - panne                            | Panne                               |     | SG    | G2    | S1    |
| Wetland - swamp shrub                      | Shrub Swamp                         |     | SG    | GU    | S2    |
| <b>Other</b>                               |                                     |     |       |       |       |
| Critical habitat area - charadrius melodus | Piping Plover Critical Habitat Area |     |       | GNR   | SNR   |

Indiana Natural Heritage Data Center  
Division of Nature Preserves  
Indiana Department of Natural Resources  
This data is not the result of comprehensive county surveys.

Fed: LE = Endangered; LT = Threatened; C = candidate; PDL = proposed for delisting  
State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant; WL = watch list  
GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank  
SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; G4 = widespread and abundant in state but with long term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; S? = unranked; SNR = unranked; SNA = nonbreeding status unranked